BASIX[°]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1751993M 02

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Tuesday, 18 June 2024

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



Project summary							
Project name	5125 - 1530 Henry Lawson Drive, St Fillans 2850_02						
Street address	1530 HENRY LAWSON DRIVE ST FILLANS 2850						
Local Government Area	MID-WESTERN REGIONAL						
Plan type and plan number	Deposited Plan 1190672						
Lot No.	1						
Section no.	-						
No. of residential flat buildings	0						
Residential flat buildings: no. of dwellings	0						
Multi-dwelling housing: no. of dwellings	2						
No. of single dwelling houses	0						
Project score							
Water	✓ 54 Target 30						
Thermal Performance	Pass Target Pas						
Energy	V 83 Target 61						
Materials	✓ -74 Target n/a						

Certificate Prepared by

Name / Company Name: ECO CERTIFICATES PTY LTD

Version: 4.03 / EUCALYPTUS 03 01 0 Certificate No.: 1751993M 02 Tuesday, 18 June 2024

page 1/17

ABN (if applicable): 82166705488

Description of project

Project address	
Project name	5125 - 1530 Henry Lawson Drive, St Fillans 2850_02
Street address	1530 HENRY LAWSON DRIVE ST FILLANS 2850
Local Government Area	MID-WESTERN REGIONAL
Plan type and plan number	Deposited Plan 1190672
Lot No.	1
Section no.	-
Project type	
No. of residential flat buildings	0
Residential flat buildings: no. of dwellings	0
Multi-dwelling housing: no. of dwellings	2
No. of single dwelling houses	0
Site details	
Site area (m²)	96900
Roof area (m²)	700
Non-residential floor area (m ²)	0
Residential car spaces	4
Non-residential car spaces	0

Common area landscape							
Common area lawn (m ²)	100						
Common area garden (m²)	100						
Area of indigenous or low water use species (m ²)	100						
Assessor details and thern	nal loads						
Assessor number	DMN/12/1462						
Certificate number	HR-ECADZG-01						
Climate zone	65						
Project score							
Water	54	Target 30					
Thermal Performance	V Pass	Target Pass					
Energy	83	Target 61					
Materials	-74	Target n/a					

Description of project

The tables below describe the dwellings and common areas within the project

Multi-dwelling houses

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	
GF	2	168.9	49.5	100	0	Main	4+	338	12.5	100	0	J

No common areas specified.

Schedule of BASIX commitments

1. Commitments for multi-dwelling housing

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for multi-dwelling housing

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	>	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	>
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	 Image: A set of the set of the
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures				Appliances		Individual pool				Individual spa			
Dwelling no.	All shower- heads	All toilet flushing systems			HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	-	-	60	yes	outdoors	no	-	-	-

	Alternative water source								
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top- up	Spa top-up	
All dwellings	Individual water tank (No. 1)	Tank size (min) 50000 liters	To collect run-off from at least: 250 square metres of roof area; 0 square metres of impervious area; 0 square metres of garden and lawn area; and 0 square metres of planter box area.	yes	no	yes	yes	yes	
All dwellings	Individual water tank (No. 2)	Tank size (min) 50000 liters	To collect run-off from at least: 50 square metres of roof area; 0 square metres of impervious area; 0 square metres of garden and lawn area; and 0 square metres of planter box area.	yes	yes	no	yes	yes	

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	>	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	>
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	•	•	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		✓	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓	
(h) The applicant must install in the dwelling:			1
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		~	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	~	v	~

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system Each bathroom Operation control		Each kitchen	Operation control	Each laundry Operation contro			
All dwellings	electric storage	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Неа	ting	Natural lighting		
Dwelling no.	living areas bedroom areas		living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
GF	1-phase airconditioning - ducted / 8.5 star (cold zone)	1-phase airconditioning - ducted / 8.5 star (cold zone)	1-phase airconditioning - ducted / 8.5 star (cold zone)	1-phase airconditioning - ducted / 8.5 star (cold zone)	2	yes	
All other dwellings	1-phase airconditioning - ducted / 8.5 star (cold zone)	1-phase airconditioning - ducted / 8.5 star (cold zone)	1-phase airconditioning - ducted / 8.5 star (cold zone)	1-phase airconditioning - ducted / 8.5 star (cold zone)	4	yes	

	In	dividual pool		Individual spa		Appliances other efficiency measures					
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line	
GF	no heating	dual speed-4 stars	yes	-	-	induction cooktop & electric oven	-	-	no	yes	
All other dwellings	no heating	dual speed-4 stars	yes	-	-	gas cooktop & electric oven	-	-	no	yes	

Dwelling no.	Photovoltaic system (min rated electrical output in peak kW)	Photovoltaic collector installation	Orientation inputs
All dwellings	between >0° to <=10° degree to the horizontal	5	Ν

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			

iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		_	

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
GF	139.3	13.7	153.000
All other dwellings	134.4	17.1	151.500

	Construction of floors and walls								
Dwelling no.	Concrete slab on ground (m²)	Suspended floor with open subfloor (m²)	Suspended floor with enclosed subfloor (m²)	-	Primarily rammed earth or mudbrick walls				
GF	218.4	<u> </u> -	-	-	no				
All other dwellings	87.2	-	263.3	-	no				

BASIX Department of Planning, Housing and Infrastructure

	Floor types	loor types												
		Concrete	slab on ground		Suspended flo	or above encl	osed subfloor	Suspended floor above open subfloor						
Dwelling no.	Area (m²)	Insulation	Low emissions option	Dematerialisation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation				
GF	218.4	-	-	waffle pod slab	-	Í-	<u> </u> -]-	-	-				
All other dwellings	87.2	-	-	waffle pod slab	hard wood, frame: timber - untreated softwood	263.3	polystyrene	-	-	-				

	Floor types	loor types											
	First floor above habitable rooms or mezzanine		Suspended floor above garage			Garage floor							
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Low emissions option	Dematerialisation		
All dwellings	-	-	-	-	-	-	-	0	-	-	conventional slab		

	External walls										
		External	wall type 1		External wall type 2						
Dwelling no.	Wall type	Area (m²)	Insulation	Low emissions option	Wall type	Area (m²)	Insulation	Low emissions option			
GF	framed (fibre cement sheet or boards), frame : timber - untreated softwood	145.3	fibreglass batts or roll	-	-	-	-	-			
All other dwellings	framed (fibre cement sheet or boards), frame : timber - untreated softwood	217.2	fibreglass batts or roll	-	-	-	-	-			

	External walls										
		Externa		External wall type 4							
Dwelling no.	Wall type	Area (m²)	Insulation	Low emis			Wall type Are		(m²)	Insulation	Low emissions option
All dwellings	-	-	-	-		-	-				-
	Internal walls										
	Interna		Internal	wall type	1		Internal wall type 2				
Dwelling no.	Wall type	Area (m²)	Insulation	Wall type	Area ((m²) Insulatio			Wall type	Area (m²)	Insulation
GF	-	-	-	plasterboard, frame: timber - untreated softwood	145.3	fibreglass b or roll		batts -		-	-
All other dwellings	-	-	-	plasterboard, frame: timber - untreated softwood	frame: timber - untreated		fibreglass ba or roll	itts	-	-	-
	Ceiling and roo	of									
	Fla	at ceiling / pitched r	Raked ce	iling / pit	ched or s	killion roof		Flat ceiling / flat roof			
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation		Constructior type	Area (m²)	Insulation
GF	-	-	Ceiling:,Roof:	-	-		Ceiling:,Root	f:	framed -	250	Ceiling:fibregla

	Ceiling and roo	f							
	Flat ceiling / pitched roof			Raked cei	ling / pitched or s	killion roof	Flat ceiling / flat roof		
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation
GF	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:	framed - metal roof, frame: timber - untreated softwood	250	Ceiling:fibreglass batts or roll,Roof:
All other dwellings	framed - metal roof, frame: timber - untreated softwood	450	Ceiling:fibreglass batts or roll,Roof:	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:

page 13/17

		Glazing type		Frame types						
Dwelling no.	Single glazing (m²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m²)	uPVC frames (m²)	Steel frames (m²)	Composite frames (m²)		
GF	34.1	-	-	34.1	-	-	-	-		
All other dwellings	68.3	-	-	68.3	-	-	-	-		

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	•
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

Central energy systems	Туре	Specification
Other	-	-

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a "V" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a "V" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).