



RAFTERS (140x45 MGP10 @ 1200mm crs) 3.0m WIDE - FOR 3.0m CARPORT TOP BEAM 140x45 (ONE (1) BOLT PER BEAM) 2 x 75mm BUGLE HEAD SCREWS (per post) POSTS 88 x 88 (normally 2 x posts out of 6.0m length, unless sloping site). GALV POST SUPPORT 4 x ROOFING SCREWS or SIMILAR PER POST SUPPORT N.G.L 2 x M12 CHEMSETS

STAIRS:

- * STRINGERS TO BE TRENCHED OUT FOR TREADS AND FIXED TOGETHER WITH 90mm BUGLE HEAD SCREWS (3 PER TREAD / SIDE).
- * WIDTHS OVER 1200mm MUST HAVE CENTRE STRINGER INSTALLED.

CLADDING CLADDING DRILLING SCREWS 100 x 50 JOISTS 120 x 19 PRE-PRIMED DAR 25-30mm SPACING 90x22 BRACE AS NECESSARY (must be braced each side of access door) COIL NAILS PER DROPPER 90x22 T/PINE DECKING DROPPERS or 70x45 H3 PINE

SUB FLOOR SKIRTING DETAIL

NOTE: FINISH FACE OF 120x19 SHOULD BE NEAR FACE OF CLADDING

STANDARD 14° PITCH SKILLION CARPORT DETAILS

NOTE: for 5° pitch skillion & bullnose carports - use verandah details

(75mm EMBEDMENT)

DRAWING REVISIONS				REFERENCE DRAWINGS		COPYRIGHT
•						THESE DESIGNS, PLANS AND INFORMATION ARE
						COPYRIGHT AND ARE
,						NOT TO BE USED OR REPRODUCED WHOLLY
						OR IN PART OR TO BE USED ON ANY PROJECT
						WITHOUT THE WRITTEN PERMISSION OF
						SUMMERMORE PTY LTD
-	PRELIMINARY FOR CLIENTS APPROVAL	GAB	OCT 2022			DO NOT SCALE FROM
REV	DESCRIPTION	BY	DATE	DRAWING NAME	TITLE	THESE DRAWINGS.

ON ARE						
ED OR /HOLLY	RPEQ	6715				
TO BE ROJECT	REVIEWED					
RITTEN	DESIGNED	RAB	OCT 2022			
OF TY LTD	DRAWN	GAB	OCT 2022			
FROM	SCALE	AS SHOWN				
NGS.	ORIGINAL DRAWING SIZE at A3					



FROSECT	Proposed Verandah - Generic
TITLE	Typical Verandah / Carport / Skirti

Typical Verandah / Carport / Skirting with Details

IG NUMBER	REV
22-28180-S02	-